

## Band Knife Machine SV/BK 1250



### Machine features:

- Electronic variable speed
- Air flow table
- Automatically set band knife guard
- Automatic band knife tension
- Warning light indicates bandknife running
- Automatic safety stop for band knife breakage
- All panels are safety switch protected
- Dove-tail guided band knife sharpening unit
- Band knife blade made of high grade steel
- Upper and lower guide bearings

### Specifications:

Cutting capacity	200 mm (max. 310 mm)
Arm length	1250 mm
Length of band knife	5240 mm
Table size	2000 x 1800mm
Motor Power	1,5 kW (optional 2,2 kW)
Voltage	400 V, 3-phase or 230 V, single phase

# Band Knife Machine

## SV/BK 1150



### Machine features:

- Electronic variable speed
- Air flow table
- Automatically set band knife guard
- Automatic band knife tension
- Warning light indicates bandknife running
- Automatic safety stop for band knife breakage
- All panels are safety switch protected
- Dove-tail guided band knife sharpening unit
- Band knife blade made of high grade steel
- Upper and lower guide bearings

### Specifications:

Cutting capacity	300 mm (upholstery foam up to 500 mm)
Arm length	1150 mm
Length of band knife	5240 mm
Table size	2200 x 1800mm
Motor Power	2,2 kW
Voltage	400 V, 3-phase or 230 V, single phase

# Band Knife Machines



## SV/BK 750E



## SV/BK 1000

### Machine features:

- Electronic variable speed
- Air flow table
- Automatically set band knife guard
- Automatic band knife tension
- Warning light indicates bandknife running
- Automatic safety stop for band knife breakage
- All panels are safety switch protected
- Dove-tail guided band knife sharpening unit
- Band knife blade made of high grade steel
- Upper and lower guide bearings



### Specifications:

#### SV/BK 750E

#### SV/BK 1000

Cutting capacity	200 mm (max. 300 mm)	200 mm (max. 300 mm)
Arm length	750 mm	1000 mm
Length of band knife	3800 mm	4250 mm
Table size	1500 x 1500mm	1800 x 1800mm
Motor Power	1,5 kW (optional 2,2 kW)	1,5 kW (optional 2,2 kW)
Voltage	400 V, 3-phase or 230 V, single phase	400 V, 3-phase or 230 V, single phase

# Band Knife Machine

## SV/BK 500



### Machine features:

- Air flow table
- Automatically set band knife guard
- Automatic band knife tension
- Warning light indicates bandknife running
- Dove-tail guided band knife sharpening unit
- Band knife blade made of high grade steel
- Upper and lower guide bearings

### Specifications:

Cutting capacity	300 mm
Arm length	500 mm
Length of band knife	2845 mm
Table size	1000 x 1200mm
Motor Power	1,1 kW
Voltage	400 V, 3-phase

*Specifications and appearance are subject to change without prior notice for improvements.*



### Svegea of Sweden AB

Junogatan 5, SE-451 42 Uddevalla, SWEDEN

Tel: +46 522 368 00 • Fax: +46 522 333 99 • Email: [info@svegea.se](mailto:info@svegea.se) • Website: [www.svegea.se](http://www.svegea.se)