

# The Economic Bias/Slitting Range



## Economic Tube Sewing Unit SU-1800/900

### Machine features:

- Sews open fabric into a continuous tubular piece
- Photo cell edge alignment
- Machine speed regulator
- Meter counter
- Lockstitch Sewing head "Typical" with edge trimmer
- Economically priced

### Technical Data:

|                           |                       |
|---------------------------|-----------------------|
| Maximum operation width   | 1800 mm               |
| Folding width             | 350 - 900 mm          |
| <b>Power</b>              | 220 V, single phase   |
| <b>Machine dimensions</b> | 2800 / 2200 / 1500 mm |

### Machine features:

- 1800 mm width capacity
- Bias bars adjustable between 300 - 900 mm
- Bias angle adjustable between 30 - 60 degrees
- Machine speed infinitely variable
- Meter counter
- Economically priced

### Technical Data:

|                            |                 |
|----------------------------|-----------------|
| Maximum operation width    | 1800 mm         |
| Maximum roll diameter      | 400 mm          |
| Diameter of fabric shaft   | 37,5 mm         |
| Paper core inside diameter | 38 - 40 mm      |
| Bias angle                 | 30 - 60 degrees |

#### Motor

Motor power 0,75 kw

#### Power

380 V, 3 - phase

#### Machine dimensions

2350 / 1050 / 1300 mm



## Economic Bias Cutter CMB-1800

### Machine features:

- 2100 mm width capacity
- Bias bars adjustable between 300 - 900 mm
- Bias angle adjustable between 30 - 60 degrees
- Photocell edge alignment
- Machine speed infinitely variable
- Meter counter
- Economically priced

### Technical Data:

|                            |                 |
|----------------------------|-----------------|
| Maximum operation width    | 2100 mm         |
| Maximum roll diameter      | 400 mm          |
| Diameter of fabric shaft   | 37,5 mm         |
| Paper core inside diameter | 38 - 40 mm      |
| Bias angle                 | 30 - 60 degrees |

#### Motor

Motor power 2.2 kw

#### Power

380V, 3 - phase

#### Machine dimensions

2650 / 1050 / 1300 mm



## Economic Bias Cutter/Winder CMB-1800A



# Economic Bias Cutter/Winder CMB-1800A2

## Machine features:

- 2100 mm width capacity
- Bias bars adjustable between 300 - 900 mm
- Bias angle adjustable between 30 - 60 degrees
- Photocell edge alignment
- Machine speed infinitely variable
- Pneumatic setting of roll tension
- Meter counter
- Economically priced

## Technical Data:

|                            |                       |
|----------------------------|-----------------------|
| Maximum operation width    | 2100 mm               |
| Maximum roll diameter      | 400 mm                |
| Diameter of fabric shaft   | 37,5 mm               |
| Paper core inside diameter | 38 - 40 mm            |
| Bias angle                 | 30 - 60 degrees       |
| <b>Motor</b>               |                       |
| Motor power                | 2.2 kw                |
| <b>Power</b>               | 380 V, 3 - phase      |
| <b>Machine dimensions</b>  | 2650 / 1050 / 1600 mm |



# Economic Semi Automatic Strip Cutter CMS-1800

## Machine features:

- 1800 mm width capacity
- 250 mm maximum roll diameter
- Adjustable variable speed of cutting blade
- Adjustable variable speed of fabric roll
- Band width and transport of cutter carriage pneumatic and/or manual
- Economically priced

## Technical Data:

|                                   |                       |
|-----------------------------------|-----------------------|
| Maximum operation width           | 1800 mm               |
| Maximum roll loading              | 2000 mm               |
| Maximum roll diameter             | 250 mm                |
| Diameter of cutting blade         | 300 mm                |
| Diameter of fabric shaft          | 37,5 mm               |
| Paper core inside diameter        | 38 - 40 mm            |
| Forwarding speed of cutting blade | Manual                |
| Band width                        | 8 - 1800 mm           |
| Air supply                        | 4 - 6 bars            |
| <b>Motor</b>                      |                       |
| Motor power                       | 3kw                   |
| <b>Power</b>                      | 380 V, 3 - phase      |
| <b>Machine dimensions</b>         | 2700 / 1100 / 1300 mm |

# Economic Fully Automatic Strip Cutter CMS-1800A



## Machine features:

- 1650 mm width capacity
- 280 mm maximum roll diameter
- Adjustable variable cutting speed
- Adjustable variable speed of cutting blade
- Adjustable variable speed of fabric roll
- Preset cut width, up to 5 widths and number of cuts per cycle
- Automatic/manual blade sharpener with adjustable time
- All functions PLC controlled
- Economically priced

## Technical Data:

|                            |                       |
|----------------------------|-----------------------|
| Maximum operation width    | 1650 mm               |
| Maximum roll loading       | 2000 mm               |
| Maximum roll diameter      | 280 mm                |
| Diameter of cutting blade  | 400 mm                |
| Diameter of fabric shaft   | 37,5 mm               |
| Paper core inside diameter | 38 - 40 mm            |
| Strip width                | 5 - 1800 mm           |
| Air supply                 | 4 - 6 bars            |
| <b>Power</b>               | 380 V, 3 - phase      |
| <b>Machine dimensions</b>  | 2800 / 1250 / 1400 mm |

*Specifications and appearance are subject to change without prior notice for improvements.*



## Svegea of Sweden AB

Junogatan 5, SE-451 42 Uddevalla, SWEDEN

Tel: +46 522 368 00 • Fax: +46 522 333 99 • Email: [info@svegea.se](mailto:info@svegea.se) • Website: [www.svegea.se](http://www.svegea.se)